

```
> # Find the Linear Domain of Stability for an RK Method
```

```
> restart;  
with(LinearAlgebra):  
A:=Matrix([[0,0],[1/3,1/3]]);
```

$$A := \begin{bmatrix} 0 & 0 \\ \frac{1}{3} & \frac{1}{3} \end{bmatrix}$$

```
> b:=Vector([1/4,3/4]);
```

$$b := \begin{bmatrix} \frac{1}{4} \\ \frac{3}{4} \end{bmatrix}$$

```
> n:=Dimension(b);  
Id:=Matrix(n,n,shape=identity);  
T1:=Id-z*A;  
T2:=MatrixInverse(T1);  
onesvector:=Vector(n,1);  
T3:=Multiply(T2,onesvector);  
T4:=1+z*Multiply(Transpose(b),T3);  
r:=simplify(T4);
```

$$n := 2$$

$$Id := \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

$$T1 := \begin{bmatrix} 1 & 0 \\ -\frac{1}{3}z & 1 - \frac{1}{3}z \end{bmatrix}$$

$$T2 := \begin{bmatrix} 1 & 0 \\ -\frac{z}{-3+z} & -\frac{3}{-3+z} \end{bmatrix}$$

$$onesvector := \begin{bmatrix} 1 \\ 1 \end{bmatrix}$$


$$T3 := \begin{bmatrix} 1 \\ -\frac{z}{-3+z} - \frac{3}{-3+z} \end{bmatrix}$$

$$T4 := 1 + z \left(\frac{1}{4} - \frac{3z}{4(-3+z)} - \frac{9}{4(-3+z)} \right)$$

$$r := - \frac{6 + 4z + z^2}{2(-3+z)}$$

```
> with(plots):
rxy:=subs(z=x+I*y,r);
contourplot(abs(rxy),x=-10..10,y=-10..10,contours=[1],
numpoints=1000,axes=boxed,view=[-10..10,-10..10]);
```

$$rxy := - \frac{6 + 4x + 4Iy + (x + Iy)^2}{2(-3 + x + Iy)}$$



```
>
```